

DS-KH8340-TCE2 Two-Wire Indoor Station


Key Features

- Hands-free video intercom communication
- Two wire communication
- Supports monitoring the door station and the external IP camera
- Remote unlocking
- Wall mounting supported



Draft


Typical Application



Specifications

Model		DS-KH8340-TCE2
System parameters	Processor	High-Performance Embedded SOC Processor
Display parameters	Display screen	7-Inch Colorful TFT LCD
	Display resolution	1024 × 600
	Operation method	Capacitive Touch Screen, Touch Button
	Operation interface	Flattened UI Operation Interface
Video parameters	Video compression standard	H.264
Audio parameters	Audio streaming	Two-Way, Full Duplex
	Audio input	Built-in Omnidirectional Microphone
	Audio output	Built-in Loudspeaker
	Audio compression standard	G.711 U
	Audio compression rate	64 Kbps
	Audio quality	Noise Suppression and Echo Cancellation
Device interfaces	Network interface	Two wire interface
	RS-485 interface	1 RS-485 Half-Duplex Interface
	Alarm input	8
	Alarm output	1
General	Power supply	Powered by DS-KAD709
	Power consumption	Max. 10 W
	Working temperature	-10° C to +55° C (14° F to 131° F)
	Working humidity	10% to 90%
	Installation	Wall Mounting
	Dimension	162.9*103.9*32(mm)

Appearance and Interfaces



Index	Description	Index	Description
1	Power Supply Indicator	7	Management Center Key
2	Information Indicator	8	LCD Display Screen
3	Alarm Indicator	9	Microphone
4	Call Accept/Decline Key	10	Terminals
5	Unlock Key	11	Power Supply Interface
6	Live View Key	12	Loudspeaker

Available Model

DS-KH8340-TCE2

Draft

Distributed by



HIKVISION

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com

Hikvision USA
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Italy
T +39-0438-6902
info.it@hikvision.com

Hikvision Singapore
T +65-6684-4718
sg@hikvision.com

Hikvision Africa
T +27 (10) 0351172
sale.africa@hikvision.com

Hikvision Europe
T +31-23-55-42-770
info.eu@hikvision.com

Hikvision France
T +33(0)1-85-330-450
info.fr@hikvision.com

Hikvision Oceania
T +61-2-8599-4233
salesau@hikvision.com

Hikvision Hong Kong
T +852-2151-1761

Hikvision Middle East
T +971-4-8816086
salesme@hikvision.com

Hikvision Spain
T +34-91-737-16-55
info.es@hikvision.com

Hikvision Canada
T +1-909-895-0400
sales.usa@hikvision.com

Hikvision Russia
T +7-495-669-67-99
saleru@hikvision.com

Hikvision Poland
T +48-22-460-01-50
poland@hikvision.com

Hikvision Korea
T +82-31-731-8841
sales.korea@hikvision.com

Hikvision India
T +91-22-28469900
sales@pramahikvision.com

Hikvision UK
T +01628-902140
support.uk@hikvision.com

Hikvision Brazil
T +55 11 3318-0050
Latam.support@hikvision.com